

FREETRACK[®] 2

WORKABLE SOLUTIONS

Imagine a contemporary range of integrated storage and filing solutions that were so smart, so functional and so well designed, that they actually work for you. Welcome to the world of Dexion Office commercial and specialist storage systems that set the standard in design efficiency, aesthetics and effectiveness.

Leading the pack is Compactus; the world's No. 1 brand of mobile shelving systems. Compactus technology maximises space utilisation to provide an efficient storage and filing system. Eliminate the need for multiple aisles and maximise space economically.

The brilliant Ultima shelving and accessory system combined with a range of Compactus tracking and drive options provide real workable solutions for any storage and filing need.

Dexion Office is excited to introduce the all-new patented Freetrack 2 Compactus. Significantly better in design, capacity, strength, performance, value and safety, Freetrack 2 is the world-class storage and filing system for today. Also available as part of a complete Compactus systems range is:

- Mekdrive 2; a mechanically driven system that is effortless to operate
- Side2Side 2; assembled in rows to provide rapid access to stored items

FREETRACK 2 WHAT'S NEW?

Track

- The all-new anodised aluminium track is far more substantial in mass to its predecessor making it significantly more rigid; runners glide along the track effortlessly as a consequence
- The track is very low in profile and incorporates score lines to provide non-slip performance, and internal slots for the runner anti-tilt mechanism
- The smart design strengthens the track profile and increases the space between leveling plates
- All track joins are secured within the track section for increased strength
- New, stronger end-stops are included with a soft-stop rubber bumper
- New plastic leveling plates 'snap' together and 'clip' into the tracks under the track making installation quicker and re-leveling easier

Cross Ties

- All new cross ties and corner brackets connect the runners to provide significant structural integrity
- The all-new cross tie and runner design allows vertical assembly for installations in confined spaces

Runners

- The new universal design means the same runner is used for both Freetrack 2 and Mekdrive 2 systems. This allows simple conversion of a Freetrack 2 system to a Mekdrive 2 mechanical drive system
- The very low profile of the runner design keeps overall shelving height to a minimum
- Runners are available in a wide range of sizes; any combination of double-sided bays can now be fitted – 600/450, 250/600 and so on
- Runner caps are stronger, thicker and incorporate an anti-tilt fin to engage the runners to the track. The design is shaped to prevent debris fouling runner wheels
- A new plastic lock guide allows for installation of locks to all runners as required

Ramps

- All new pivoting ramps simply clip onto the track and are designed to follow the floor contour. They provide a unique, clean and adjustable answer to uneven floors and are far more attractive than traditional timber floor infill
- The ramps provide an aesthetically pleasing finish to the track system, plus provide wheelchair and trolley access with a point load of 100kg
- Spacers ensure independent rotation to follow the floor contour

FREETRACK® 2

NOTHING ELSE COMPARES

Freetrack 2 is the ideal light-weight Compactus system for just about any storage and filing application. The lighter weight of the system reduces the chance of operator strain and loads imposed on the floor. But just because Freetrack 2 is lighter than other systems this doesn't mean it isn't built tough. Move block-loads up to 1000kg effortlessly with Freetrack 2 Compactus.

Unlike traditional 'base-mounted' mobile storage systems, the design of Freetrack 2 can be tailored to suit the available space. The low profile track and runner combination adds only 65mm to the overall system height.

Freetrack 2 systems do not require floor fixing or timber infills, eliminating the possibility of damage to floor coverings. This also means Freetrack 2 systems are easier and far more cost-effective to install, relocate or reconfigure than standard fixed-track systems.

Easily up-grade from Ultima static shelving systems to any of the three Freetrack 2 Compactus systems.



FREETRACK 2 FEATURES

- Robust aluminium anodised components provides strength and a streamline finish that constitutes to a modern attractive appearance
- New track and runner design strengthens and enhance shelving mobility
- Low profile track incorporates pivoting ramps that follow the floor contour to reduce trip hazards and provide trolley and wheelchair access
- New track is far more substantial in mass; a more rigid product with less leveling plates required
- Universal designed runner allows various double-sided bay combinations
- Crinolin steel strips provide hard wearing runner surface for smooth operating
- Design the perfect solution with unlimited base lengths
- A lighter weight system reduces operator strain and loads imposed on the floor
- Tracks do not require fixing eliminating any damage to floor coverings
- Track and runner combinations add only 65mm to the overall shelving height

TECHNICAL SPECIFICATIONS

Drive Type

Manual

Shelving and Accessory System

Ultima

Maximum System Width

1800mm (2 x 900mm bays)

Shelving Width Options

750, 900, 1050, 1200mm

Shelving Depth Options

250, 300, 400, 450, 500, 600mm

Shelving Height Options

975, 1875, 2175, 2400mm

Overall System Heights

1040, 1940, 2240, 2465mm

Maximum Bay Carrying Capacity

500kg

Maximum Movable Block Load

1000kg

Anti-Tilt System

Track and Runner
combination

Security

Track and/or Aisle Locks

Warranty

Lifetime



The unique runner mounted anti-tilt mechanism secures the shelving units to the tracks.



Stylish & sleek track system with ramps provides easy access to shelving bays.



The optional pivoting ramps follow the contours of the floor and provide a seamless transition between the flooring and track.



Freetrack 2 is effortlessly moved using an attractive handle. All units have the option to be lockable for added security.





**IMAGINE A CONTEMPORARY
RANGE OF INTEGRATED
STORAGE AND FILING
SOLUTIONS THAT WERE
SO SMART, SO FUNCTIONAL
AND SO WELL DESIGNED,
THAT THEY COULD ACTUALLY
WORK FOR YOU.**

MEKDRIVE[®] 2

SIMPLY REVOLUTIONARY

Mekdrive 2 revolutionises filing and storage systems with advanced technology and design. It is the lightest mechanically-assisted mobile storage system available; this keeps floor loads to a minimum, a major consideration in most high rise buildings. And best of all, its unique belt-drive technology and ergonomically designed hand-wheel moves 4000kg block loads effortlessly, removing operator strain.

Mekdrive 2 provides incredible value when compared with traditional mechanically operated fixed-track systems. You can even easily upgrade from a Freetrack 2 system. Mekdrive 2 does not require floor fixing or timber infills, eliminating the possibility of damage to floor coverings. Multiple track configurations apply better distribution of floor loads.



MEKDRIVE 2 FEATURES

- Create an extremely efficient high density filing and storage system by mounting Ultima CI-80 shelving onto the attractive Mekdrive 2 track and runner system
- The innovative low profile track design provides great strength and enhanced mobility for the Mekdrive 2 runners
- Attractive clip-on track ramps further reduce trips hazards and allow for the movement of trolleys or wheelchairs between shelving bays
- Multiple track configurations apply better distribution of floor loads
- Mekdrive 2 needs no fixing into the floor. This eliminates any permanent damage to floors and flooring material, plus allows for cost effective relocation or reconfiguration of the systems as needs arise
- The unique track based anti-tilt mechanism secures all shelving, further enhancing operator safety
- Easily add to your Mekdrive 2 system should the need arise
- Easily upgrade from Freetrack 2
- Intelligent mechanically assisted system
- Shelf bay widths of up to 2700mm wide
- Hand wheel reduces risk of hand or arm injury
- A choice of locking options provides added security

TECHNICAL SPECIFICATIONS

Drive Type

Mechanical

Shelving and Accessory System

Ultima

Maximum System Width

2700mm (3 x 900mm bays)

Shelving Width Options

750, 900, 1050, 1200mm

Shelving Depth Options

250, 300, 400, 450, 500, 600mm

Shelving Height Options

975, 1875, 2175, 2400mm

Overall System Heights

1040, 1940, 2240, 2465mm

Maximum Bay Carrying Capacity

500kg

Maximum Movable Block Load

4000kg

Anti-Tilt System

Track and Runner
combination

Security


Track and/or Aisle Locks

Warranty

Lifetime



The unique runner mounted anti-tilt mechanism secures the shelving units to the tracks.



Stylish & sleek track system with ramps provides easy access to shelving bays.



The optional pivoting ramps follow the contours of the floor and provide a seamless transition between the flooring and track.



Mekdrive 2 is effortlessly moved using a unique belt drive system which reduces user strain and the potential of injury.

SIDE2SIDE 2

INCREASE PRODUCTIVITY AND EFFICIENCY

Side2Side 2 is the ideal system for transforming under-utilised areas such as alcoves into efficient storage space. It's simple; we just place a row of mobile shelving in front of a row of static shelving. This eliminates the need for permanent aisles as items stored are accessed from the front.

More accessible bays provide multiple 'picking faces', giving faster access for more operators to more stored items. Easily add to your Side2side 2 system should the need arise.



SIDE2SIDE 2 FEATURES

- Create an extremely efficient use of unconventional storage areas by mounting Ultima CI-80 shelving onto the attractive Side2side 2 track and runner system
- More accessible bays provide multiple 'picking faces', giving faster access for more operators to more stored items
- The innovative low profile track design provides great strength and enhanced mobility for the side to side base runners
- Attractive clip on track ramps further reduce trip hazards when accessing rear bays. The pivoting ramps allow a seamless transition between the flooring material and track
- The unique track based anti-tilt mechanism secures all shelving, further enhancing operator safety
- Easily upgrade from Dexion Office Ultima CI-80 shelving system
- Fast and efficient access

TECHNICAL SPECIFICATIONS

Drive Type

Manual

Shelving and Accessory System

Ultima

Maximum System Width

Unlimited

Shelving Width Options

750, 900, 1050, 1200mm

Static Shelving Depth Options

250, 300, 400, 450, 500, 600mm

Mobile Shelving Depth Options

400, 450, 500, 600mm

Shelving Height Options

975, 1875, 2175, 2400mm

Overall System Heights

1040, 1940, 2240, 2465mm

Maximum Bay Carrying Capacity

500kg

Maximum Movable Block Load

1000kg

Anti-Tilt System

Track and Runner
combination

Warranty

Lifetime




The unique runner mounted anti-tilt mechanism secures the shelving units to the tracks.



Stylish & sleek track system with ramps provides easy access between shelving bays.



The pivoting ramps follow the contours of the floor and provide a seamless transition between the flooring and track.



Side2side 2 is effortlessly moved allowing quick and easy access to rear shelving.

Call 1300 180 358 or visit
www.dexionoffice.com.au
for more information.

Dexion Office is a division of
Dexion Commercial (Australia)
Pty Ltd ABN 43 108 860 724

Head Office &
Manufacturing Plant:
899 Mountain Hwy,
Bayswater VIC 3153

Ultima®, Compactus®, Freetrack® & Mekdrive® are registered trademarks.

Whilst the utmost care is taken to ensure the accuracy of the information contained herein, it is provided in the understanding that the company shall under no circumstances be liable for any, expenses or other losses which may in any way be attributable to the use or adoption of such guidelines. Dexion Office reserves the right to alter or amend without prior notice, guidelines specified herein.

Brochure Code DO_09002